





Modelo	HP	Motor			Bomba			Largo Total mm	Peso Total Kg	Salida Roscada
		∅ mm	Largo mm	Peso Kg	∅ mm	Largo mm	Peso Kg			
GM HF-8080/1	4	90	581	19	185	618	51	1199	70	4"
GM HF-8080/2	7,5	90	740	25	185	747	61	1487	86	4"
GM HF-8080/3	10	142	678	43,5	185	876	72	1554	115,5	4"
GM HF-8080/4	15	142	800	55	185	1005	82	1805	137	4"
GM HF-8080/5	20	142	911	65	185	1134	93	2045	158	4"
GM HF-8080/7	25	142	973	72	185	1392	114	2365	186	4"
GM HF-8080/8	30	142	1006	76	185	1521	124	2527	200	4"
GM HF-8080/11	40	142	1217	98	185	1908	156	3125	254	4"
GM HF-8080/14	50	190	1056	129	185	2295	188	3351	317	4"
GM HF-8080/17	60	190	1116	138	185	2682	214	3798	352	4"
GM HF-8080/21	75	190	1286	170	185	3198	251	4484	421	4"
GM HF-8080/28	100	190	1366	186	185	4101	324	5467	510	4"
GM HF-8080/35	125	190	1471	210	185	5004	398	6475	608	4"

H mca



MODELO	POTENCIA	SALIDA	MOTOR (mm)	BOMBA (mm)	LARGO TOTAL (mm)	ØMAX (mm)	PESO BOMBA (kg)
8140/1	10 HP	5"	800	618	1418	200	51
8140/2A	15 HP	5"	855	747	1602	200	61
8140/2	20 HP	5"	968	747	1715	200	61
8140/3A	25 HP	5"	1018	876	1894	200	72
8140/3	30 HP	5"	1068	876	1944	200	72
8140/4	40 HP	5"	1280	1005	2285	200	82
8140/5	50 HP	5"	1325	1134	2459	200	93
8140/6	60 HP	5"	1380	1263	2643	200	103
8140/7A	60 HP	5"	1380	1392	2772	200	114
8140/7	70 HP	5"	1515	1392	2907	200	114
8140/8A	75 HP	5"	1515	1521	3036	200	124
8140/9A	85 HP	5"	1645	1650	3295	200	135
8140/9	90 HP	5"	1645	1650	3295	200	135
8140/10	100 HP	5"	1645	1779	3424	200	145
8140/12	125 HP	5"	1735	2037	3772	200	166
8140/15	150 HP	5"	1631	2424	4055	250	198

H mca



MODELO	POTENCIA	SALIDA	MOTOR (mm)	BOMBA (mm)	LARGO TOTAL (mm)	ØMAX (mm)	PESO BOMBA (kg)
8140/1	10 HP	5"	800	618	1418	200	51
8140/2A	15 HP	5"	855	747	1602	200	61
8140/2	20 HP	5"	968	747	1715	200	61
8140/3A	25 HP	5"	1018	876	1894	200	72
8140/3	30 HP	5"	1068	876	1944	200	72
8140/4	40 HP	5"	1280	1005	2285	200	82
8140/5	50 HP	5"	1325	1134	2459	200	93
8140/6	60 HP	5"	1380	1263	2643	200	103
8140/7A	60 HP	5"	1380	1392	2772	200	114
8140/7	70 HP	5"	1515	1392	2907	200	114
8140/8A	75 HP	5"	1515	1521	3036	200	124
8140/9A	85 HP	5"	1645	1650	3295	200	135
8140/9	90 HP	5"	1645	1650	3295	200	135
8140/10	100 HP	5"	1645	1779	3424	200	145
8140/12	125 HP	5"	1735	2037	3772	200	166
8140/15	150 HP	5"	1631	2424	4055	250	198